

Garador Side-Hinged Garage Doors Price List

NEW

Ascot and Windsor side-hinged garage doors



Garador Side-Hinged and Garage Side Doors

Surface

Steel Side-hinged doors are constructed around a strong steel box section chassis in Traffic White (RAL 9016) as standard. Timber doors constructed using solid red cedar, built around our steel box section chassis. A range of stain options are available. All Garador timber side-hinged garage doors are plywood backed, the timber boards are not visible from the inside of the garage door.

Pre-Framed

All doors come factory pre-framed, right-hand door leaf leading as standard (viewed from the outside) with lever/ lever handle set.

Steel Colours

Standard colours are:

- Terra Brown (RAL 8028)
- Traffic White (RAL 9016)

Optional colours available on an approximate 4 week lead-time:

- | | | | |
|--------------------------|--------------------------|------------------------------|-----------------------------|
| - Light Ivory (RAL 1015) | - Pigeon Blue (RAL 5014) | - Anthracite Grey (RAL 7016) | - Burgundy Brown |
| - Ruby Red (RAL 3003) | - Moss Green (RAL 6005) | - Jet Black (RAL 9005) | - Golden Brown |
| - Signal Blue (RAL 5005) | - Fir Green (RAL 6009) | - Slate Grey (RAL 7015) | - Chartwell Green (BS 4800) |
| - Steel Blue (RAL 5011) | | | |

Other optional colours available on an approximate 6 week lead-time:

- | | | | |
|-------------------------|-------------------------|--------------------------|-------------------------|
| - Stone Grey (RAL 7030) | - Light grey (RAL 7035) | - Window Grey (RAL 7040) | - Clay Brown (RAL 8003) |
|-------------------------|-------------------------|--------------------------|-------------------------|

Timber Stains

Full finished stains available as an option. Stain colours include Light Oak, Antique Oak, Mahogany, Walnut, Chestnut and Ebony

GRP Colours

White, Magnolia, Bleached Oak, Red Mahogany, Dark Mahogany, Light Oak, Dark Oak, Irish Oak, Honey Beech, Teak, Rosewood, Golden Brown, Ebony, Anthracite Grey, Green, Blue, Gloss White and Gloss Magnolia.

Handle

Supplied with black lever/lever handle on right side (viewed outside)


Terminology

Nominal Door Size: This is the actual door panel size plus the fitting tolerances. The nominal door size should be used for internal dimensions of a timber frame.

Size Code: This has traditionally been used to order doors. This may not be the actual door size.

Packaging

All steel side-hinged doors are poly-wrapped as standard.



Two point locking for security

A shoot-bolt latch is used to secure the top and bottom of the fixed leaf. This is easily opened and closed with a centrally located flip-up handle, positioned in the middle of the door.



Sturdy weather proof rubber seals all round

There are strong weather proof seals built into the door frame and along the door stop on both the fixed and leading door leaf. This helps to prevent drafts inside the garage and keep the rain and wind outside.

3-way adjustable hinges allow the door position to be precisely adjusted for a smooth door action and a tight close against the rubber seal.




75mm frame and Concealed hinges for security

A 75mm wide galvanised steel door frame gives a strong and stable door construction. The hinges are concealed in the frame reducing their vulnerability to burglars. Concealed hinges also provide a seamless appearance across the door panel and frame, as there are no hinge knuckles protruding above the surface of the door.




Door stays and dampeners

A door stay at the top of the door, helps to keep the door open and stops it blowing shut, if there are heavy winds. Gas pistons are employed as dampeners for a gentle closing motion.



Aluminium threshold








A 20 mm aluminium threshold blocks the flow of air that can pass underneath the door. It is angled facing outwards to allow for the passage of cars into the garage and for any mild water run-off.









Lever/ lever black plastic handle

Supplied complete with a lever/ lever black plastic handle for ease of access. Ideally suited to garages used to store tools or gardening supplies where the user can still open the door even when their hands are full.

Steel door -
standard sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Georgian	 Beaumont	 Cathedral	 Beaumont with Windows ²	 Carlton	 Ascot	 Windsor
1780 x 1806	1930 x 1891	6060	-	-	-	-	1350	-	-
1934 x 1806	2084 x 1891	6660	-	-	-	-	1372	-	-
1934 x 1907	2084 x 1991	6664	-	-	-	-	1396	-	-
1934 x 1957	2084 x 2041	6666	-	-	-	-	1396	-	-
1934 x 2112	2084 x 2196	6670	-	-	-	-	1421	-	-
2084 x 1806	2234 x 1891	7060	-	-	-	-	1421	-	-
2084 x 1907	2234 x 1991	7064	1536	1536	1536	1836	1444	1536	1536
2084 x 1957	2234 x 2041	7066	1536	1536	1536	1836	1444	1536	1536
2084 x 2112	2234 x 2196	7070	1560	1560	1560	1860	1468	1560	1560
2209 x 1907	2359 x 1991	7564	1607	1607	1607	1907	1516	1607	1607
2209 x 1957	2359 x 2041	7566	1607	1607	1607	1907	1516	1607	1607
2209 x 2112	2359 x 2196	7570	1632	1632	1632	1932	1536	1632	1632
2234 x 1907	2384 x 1991	7664	1632	1632	1632	1932	1536	1632	1632
2234 x 1957	2384 x 2041	7666	1632	1632	1632	1932	1536	1632	1632
2234 x 2112	2384 x 2196	7670	1654	1654	1654	1954	1560	1654	1654
2389 x 1907	2539 x 1991	8064	1703	1703	1703	2003	1607	1703	1703
2389 x 1957	2539 x 2041	8066	1703	1703	1703	2003	1607	1703	1703
2389 x 2112	2539 x 2196	8070	1725	1725	1725	2025	1632	1725	1725

Steel door -
purpose-made sizes

Overall frame size (between fix) ¹ Width x Height (mm x mm)	 Georgian	 Beaumont	 Cathedral	 Beaumont with Windows ²	 Carlton	 Ascot
1930 - 2234 x 1890 - 2041	-	-	-	-	1528	-
1930 - 2234 x 2042 - 2196	-	-	-	-	1567	-
2235 - 2384 x 1890 - 1990	-	-	-	-	1585	-
2235 - 2384 x 1991 - 2041	1714	1714	1714	2083	1632	1714
2235 - 2384 x 2042 - 2196	1730	1730	1730	2101	1663	1730
2385 - 2539 x 1890 - 1990	-	-	-	-	1650	-
2385 - 2539 x 1991 - 2041	1808	1808	1808	2176	1712	1808
2385 - 2539 x 2042 - 2196	1828	1828	1828	2199	1732	1828

¹ No fitting clearance allowed.² Windows for Beaumont: Standard () , Diamond () , Cross () . Please state on order if plain or crystal panes.

All doors come factory pre-framed, right hand door leaf leading as standard (viewed from the outside) with lever/lever handle set.






Ascot and Windsor side-hinged garage doors are only available in 50/ 50 door leaf configuration.

The above doors are shown as 50/50 door leaves configuration.


Up to 2234 mm overall frame width these doors are also available as a 1/3 2/3 door configuration.

Prices are the same but please be aware panel configurations on Georgian, Beaumont & Cathedral doors will have 3 pressing columns with increased spacing between the pressing (1/3 2/3 is a term used to describe these doors but please note the 1/3 door leaf is always 800 mm wide with the 2/3 element varying to make the desired overall width). 1/3 leaf is always leading.

Timber door -
standard sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Vertical Cedar ²	 Horizontal Cedar ²	 Kingsbury ³	 Seymour ³	 Tudor ³
1780 x 1806	1930 x 1891	6060	2485	2534	2771	2358	2358
1934 x 1806	2084 x 1891	6660	2516	2569	2771	2390	2390
1934 x 1907	2084 x 1991	6664	2516	2569	2771	2390	2390
1934 x 1957	2084 x 2041	6666	2540	2592	2779	2415	2415
1934 x 2112	2084 x 2196	6670	2540	2592	2811	2415	2415
2084 x 1806	2234 x 1891	7060	2581	2631	2811	2454	2454
2084 x 1907	2234 x 1991	7064	2589	2640	2832	2462	2462
2084 x 1957	2234 x 2041	7066	2598	2648	2864	2468	2468
2084 x 2112	2234 x 2196	7070	2598	2648	2881	2468	2468
2209 x 1907	2359 x 1991	7564	2619	2673	2968	2496	2496
2209 x 1957	2359 x 2041	7566	2626	2681	2985	2502	2502
2209 x 2112	2359 x 2196	7570	2643	2693	3039	2516	2516
2234 x 1907	2384 x 1991	7664	2619	2673	2976	2496	2496
2234 x 1957	2384 x 2041	7666	2626	2681	3013	2502	2502
2234 x 2112	2384 x 2196	7670	2643	2694	3072	2516	2516
2389 x 1907	2539 x 1991	8064	2723	2775	3245	2598	2598
2389 x 1957	2539 x 2041	8066	2729	2783	3261	2605	2605
2389 x 2112	2539 x 2196	8070	2740	2788	3348	2611	2611

Timber door -
standard sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Chevron Cedar ³	 Ashton ^{3, 4}	 Ashton Chevron ^{3, 4}
1780 x 1806	1930 x 1891	6060	2771	2976	3110
1934 x 1806	2084 x 1891	6660	2771	2976	3110
1934 x 1907	2084 x 1991	6664	2771	2976	3110
1934 x 1957	2084 x 2041	6666	2779	2985	3116
1934 x 2112	2084 x 2196	6670	2811	3013	3150
2084 x 1806	2234 x 1891	7060	2811	3013	3150
2084 x 1907	2234 x 1991	7064	2832	3039	3173
2084 x 1957	2234 x 2041	7066	2864	3072	3204
2084 x 2112	2234 x 2196	7070	2881	3085	3221
2209 x 1907	2359 x 1991	7564	2968	3173	3307
2209 x 1957	2359 x 2041	7566	2985	3188	3325
2209 x 2112	2359 x 2196	7570	3039	3245	3380
2234 x 1907	2384 x 1991	7664	2976	3180	3316
2234 x 1957	2384 x 2041	7666	3013	3221	3355
2234 x 2112	2384 x 2196	7670	3072	3274	3413
2389 x 1907	2539 x 1991	8064	3245	3450	3585
2389 x 1957	2539 x 2041	8066	3261	3195	3601
2389 x 2112	2539 x 2196	8070	3348	3552	3687





¹ No fitting clearance allowed.² The above doors are shown as 50/50 door leaves configuration. Up to 2234 mm overall frame width these doors are also available as a 1/3 2/3 door configuration on Vertical Cedar and Horizontal Cedar doors.

Prices are the same but please be aware panel configurations may be different from those shown above (1/3 2/3 is a term used to describe these doors but please note the 1/3 door leaf is always 800 mm wide with the 2/3 element varying to make the desired overall width). 1/3 leaf is always leading.

³ Not available in 70/30 configuration. Only Vertical Cedar and Horizontal Cedar Side Hinged doors are available in 70/30 configuration up to 7'0" wide.⁴ On doors with windows, please state on order if plain or crystal panes.

Timber door - purpose-made sizes

Overall frame size
(between fix)¹
Width x Height
(mm x mm)


	 Vertical Cedar ²	 Horizontal Cedar ²	 Kingsbury ³	 Seymour ³	 Tudor ³
1930 - 2234 x 1891 - 2041	2642	2694	2912	2525	2525
1930 - 2234 x 2042 - 2196	2694	3211	2967	2578	2578
2235 - 2384 x 1891 - 2041	2745	3280	3022	2632	2632
2235 - 2384 x 2042 - 2196	2818	2872	3231	2703	2703
2385 - 2539 x 1891 - 2041	2967	3022	3385	2851	2851
2385 - 2539 x 2042 - 2196	3012	3069	2434	2896	2896

¹ No fitting clearance allowed.

² On doors with windows, please state on order if plain or crystal panes.

Timber door - purpose-made sizes

Overall frame size
(between fix)¹
Width x Height
(mm x mm)

	 Chevron Cedar ³	 Ashton ^{3,4}	 Ashton Chevron ^{3,4}
1930 - 2234 x 1891 - 2041	2912	3113	3246
1930 - 2234 x 2042 - 2196	2967	3170	3300
2235 - 2384 x 1891 - 2041	3022	3222	3355
2235 - 2384 x 2042 - 2196	3231	3443	4202
2385 - 2539 x 1891 - 2041	3385	3599	3737
2385 - 2539 x 2042 - 2196	2434	3646	3786

¹ No fitting clearance allowed.

² The above doors are shown as 50/50 door leaves configuration. Up to 2234 mm overall frame width these doors are also available as a 1/3 2/3 door configuration on Vertical Cedar and Horizontal Cedar doors.

Prices are the same but please be aware panel configurations may be different from those shown above (1/3 2/3 is a term used to describe these doors but please note the 1/3 door leaf is always 800 mm wide with the 2/3 element varying to make the desired overall width). 1/3 leaf is always leading.


³ Not available in 70/30 configuration. Only Vertical Cedar and Horizontal Cedar Side Hinged doors are available in 70/30 configuration up to 7'0" wide.

⁴ On doors with windows, please state on order if plain or crystal panes.

GRP door -
standard sizes





Nominal Door Size (between fix) ¹ Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Dorchester ²	 Kenmore	 Arden	 Somerset ³
1780 x 1806	1930 x 1891	6060	-	-	-	2699
1934 x 1806	2084 x 1891	6660	-	-	-	2699
1934 x 1907	2084 x 1991	6664	-	-	-	2699
1934 x 1957	2084 x 2041	6666	-	-	-	2699
1934 x 2112	2084 x 2196	6670	-	-	-	2699
2084 x 1806	2234 x 1891	7060	-	-	-	2733
2084 x 1907	2234 x 1991	7064	-	-	-	2733
2084 x 1957	2234 x 2041	7066	-	-	-	2769
2084 x 2112	2234 x 2196	7070	-	-	-	2769
2209 x 1907	2359 x 1991	7564	2857	2857	2857	2857
2209 x 1957	2359 x 2041	7566	2857	2857	2857	2857
2209 x 2112	2359 x 2196	7570	2857	2857	2857	2857
2234 x 1907	2384 x 1991	7664	2857	2857	2857	2857
2234 x 1957	2384 x 2041	7666	2857	2857	2857	2857
2234 x 2112	2384 x 2196	7670	2857	2857	2857	2857
2389 x 1907	2539 x 1991	8064	2945	2945	2945	2945
2389 x 1957	2539 x 2041	8066	2945	2945	2945	2945
2389 x 2112	2539 x 2196	8070	2945	2945	2945	2945

GRP door -
purpose-made sizes


Overall frame size (between fix) ¹ Width x Height (mm x mm)	 Dorchester ²	 Kenmore	 Arden	 Somerset ³
1930 - 2234 x 1891 - 2041	-	-	-	3179
1930 - 2234 x 2042 - 2196	-	-	-	3239
2235 - 2384 x 1891 - 2041 ¹	-	-	-	3298
2235 - 2384 x 2042 - 2196	-	-	-	3359
2385 - 2539 x 1891 - 2041	3418	3418	3418	3418
2385 - 2539 x 2042 - 2196	3474	3474	3474	3474

¹ Please note Dorchester, Kenmore and Arden side-hinged garage doors have a minimum overall frame size of 2359 mm x 1991 mm.² For Dorchester side-hinged garage doors, only clear glazing or stippled glazing available for windows.³ The Somerset GRP side-hinged garage door is also available in a 70/30 configuration. All other GRP side-hinged garage doors are only available in 50/50 configuration.

Steel door -
standard sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Georgian	 Beaumont	 Cathedral	 Beaumont with Windows ²	 Carlton	 Ascot	 Windsor
732 x 1905	882 x 1991	2664	780 ³	780 ³	780 ³	859 ³	643	780	780
732 x 1955	882 x 2041	2666	794 ³	794 ³	794 ³	872 ³	658	794	794
732 x 2110	882 x 2196	2670	814 ³	814 ³	814 ³	893 ³	677	814	814
884 x 1905	1034 x 1991	3064	806 ³	806 ³	806 ³	886 ³	669	806	806
884 x 1955	1034 x 2041	3066	821 ³	821 ³	821 ³	899 ³	684	821	821
884 x 2110	1034 x 2196	3070	843 ³	843 ³	843 ³	922 ³	705	843	843
1037 x 1905	1187 x 1991	3664	834	834	834	915	697	834	834
1037 x 1955	1187 x 2041	3666	850	850	850	927	714	850	850
1037 x 2110	1187 x 2196	3670	868	868	868	948	732	868	868
1170 x 1905	1320 x 1991	4064	861	861	861	939	724	861	861
1170 x 1955	1320 x 2041	4066	875	875	875	955	740	875	875
1170 x 2110	1320 x 2196	4070	883	883	883	962	758	883	883



¹ No fitting clearance allowed.² Windows for Beaumont: Standard () , Diamond () , Cross () . Please state on order if plain or crystal panes.³ Doors under 1000 mm width only have one vertical column of pressings. These doors vary from images shown.Steel door -
purpose-made sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	 Georgian	 Beaumont	 Cathedral	 Beaumont with Windows ²	 Carlton
670-1036 x 1905-2110	820-1186 x 1991-2196	971 ⁴	971 ⁴	971 ⁴	1082 ⁴	850
1037-1310 x 1905-2110	1187-1320 x 1991-2196	1025	1025	1025	1136	902

¹ No fitting clearance allowed.² Windows for Beaumont: Standard () , Diamond () , Cross () . Please state on order if plain or crystal panes.⁴ Only available from 755 mm wide. Overall frame size is 875 mm wide for Cathedral, Beaumont and Georgian only.




All doors come factory pre-framed, right hand hinged with the handle on the left as standard (viewed from outside).
Supplied with lever/lever handle set. Doors only available to open outwards.

Timber door - standard sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	Size Code	 Vertical Cedar	 Horizontal Cedar	 Kingsbury	 Seymour	 Half Chevron (Left)	 Half Chevron (Right)
732 x 1905	882 x 1991	2664	1514	1551	1646	1514	1815	1815
732 x 1955	882 x 2041	2666	1534	1569	1661	1534	1830	1830
732 x 2110	882 x 2196	2670	1560	1592	1686	1560	1857	1857
884 x 1905	1034 x 1991	3064	1569	1601	1694	1569	1865	1865
884 x 1955	1034 x 2041	3066	1584	1618	1713	1584	1882	1882
884 x 2110	1034 x 2196	3070	1610	1646	1736	1610	1907	1907
1037 x 1905	1187 x 1991	3664	1618	1652	1749	1618	1917	1917
1037 x 1955	1187 x 2041	3666	1635	1671	1763	1635	1932	1932
1037 x 2110	1187 x 2196	3670	1661	1694	1788	1661	1959	1959
1170 x 1905	1320 x 1991	4064	1671	1702	1796	1671	1966	1966
1170 x 1955	1320 x 2041	4066	1686	1722	1815	1686	1985	1985
1170 x 2110	1320 x 2196	4070	1713	1749	1836	1713	2009	2009

¹ No fitting clearance allowed.

Timber door - purpose-made sizes

Nominal Door Size Width x Height (mm x mm)	Overall frame size (between fix) ¹ Width x Height (mm x mm)	 Vertical Cedar	 Horizontal Cedar	 Kingsbury ²	 Seymour	 Half Chevron (Left)	 Half Chevron (Right)
670-1036 x 1905-2110	820-1186 x 1991-2196	1830	1865	1958	1830	2127	2127
1037-1310 x 1905-2110	1187-1320 x 1991-2196	1932	1966	2056	1932	2229	2229

¹ No fitting clearance allowed.

² Minimum overall frame width for Kingsbury is 826 mm.

Options	Steel		Timber		GRP	
	Garage side doors	Side-hinged doors	Garage side doors	Side-hinged doors	Garage side doors	Side-hinged doors
	add	add	add	add	add	add
For powder-coated steel doors ¹ : - Terra Brown (RAL 8028)	30	38	-	-	-	-
For powder-coated steel doors ¹ : - Moss Green (RAL 6005) - Ruby Red (RAL 3003) - Signal Blue (RAL 5005) - Jet Black (RAL 9005) - Steel Blue (RAL 5011) - Light Ivory (RAL 1015) - Pigeon Blue (RAL 5014) - Fir Green (RAL 6009) - Anthracite Grey (RAL 7016) - Stone Grey (RAL 7030) - Light Grey (RAL 7035) - Slate Grey (RAL 7015) - Clay Brown (RAL 8003) - Window Grey (RAL 7040) - Chartwell Green (BS 4800) - Burgundy Brown - Golden Oak (solid)	95	123	-	-	-	-
Surcharge for Premium GRP colours: - Green - Blue	-	-	-	-	-	577
Handles for steel and timber doors: - knob/lever black plastic	30	30	30	30	-	-
For timber doors: factory fully finished in - Light Oak - Antique Oak - Mahogany - Walnut - Chestnut - Ebony	-	-	106	161	-	-
Factory white primer ready for on-site painting	-	-	178	218	-	-
Factory fully finished painting (any RAL colour)	-	-	294	367	-	-
Anodised Aluminium lever/lever handles: - white	117	117	117	117	-	117
Anodised Aluminium lever/lever handles: - chrome effect	145	145	145	145	-	145
Left hand hinged	84	84	84	84	-	84
Fitting compensation kit (part no. 8261)	130	130	130	130	130	130

¹ Coloured Beaumont with windows doors are supplied with white or brown window frames as standard (for colour window frames see page 13 of the main price list).


For timber side-hinged doors chassis is either Traffic White (RAL 9016) or Terra Brown (RAL 8028) regardless of exact colour of timber finishing, except when Ebony finishing is ordered and then the chassis will be supplied in black.

Garage Side Door & Side-hinged Door Specifications


Door leaves supplied factory pre-framed ready for site installation. Fixed leaf (RH side when viewed from inside) fitted with tower bolts at top and bottom of inner leading edge. The floor will need to be finished and level for the bottom tower bolts to engage.

Garage Side door factory pre-framed

Between brickwork fixing




Behind brickwork fixing




The nominal clear passage clearance is 74 mm less than the opening width and 15 mm less than the opening height.

Side-hinged door factory pre-framed

Between brickwork fixing



Behind brickwork fixing



The nominal drive through clearance is 30 mm less than the opening width and 15 mm less than the opening height.

GARADOR

The Garage Door People

Bunford Lane, Yeovil, Somerset, BA20 2GL
Tel: (01935) 443722 Fax: (01935) 443744

www.garador.co.uk



Garador is the UK's leading manufacturer of garage doors and operators, with an ultra-modern production facility located in Somerset. We use German engineering expertise to produce highly sophisticated doors and operators. By purchasing a Garador product you can be assured of the highest level of quality, safety and security. With a nationwide network of stockists, installers and service technicians we are an ideal partner for your project.